


CREALITY



## Creality CR-10 5S 500x500x500 3D Printer

[Read More](#)

**SKU:** 3DW4CRVJLD7O2

**Price:** 10,990.00 DH

**Stock:** outofstock

**Categories:** [Imprimantes 3D FDM](#), [3D Printers](#)

**Tags:** [3dprinter](#), [fdm](#)

### Product Description




- **Creality CR-10 S5, is the largest Creality 3D printer, with a print volume of 500 x 500 x 500mm.**

It's basically a supersized CR-10 and has a very similar set of features to the original CR-10. If you need to print 500mm objects, the CR-10 S5 is really the only affordable choice, and it's a good printer that has worked reliably for us. **Resume Printing after power-off:** CR-10S S5 could resume prints after a power outage or lapse occurs. **Easy and Quick Assembly:** only 10 minutes, need to install the Z v suite in XY platform, they can easily install. **Linear Bearing System:** profile+pulley=zero gap fit, newest v-slot, bring high accuracy and low noise printing. **Precision Pulley moving parts:** imported polymer material processing, wear a long time. **Industrial-grade Circuit Board:** can print for 200 hours without pressure, with mature technology and stable performance.

**CR 10S5 unbox & assembling**

**CR 10S5 CR Touch Leveling and works**

**CREALITY CR-10 SERIES FAMILY**

 <p><b>CREALITY CR-10</b></p>	 <p><b>CREALITY CR-10S</b></p>	 <p><b>CREALITY</b></p>
<p><b>THE ORIGINAL CR-10</b></p> <p>Print size 300×300×400mm</p>	<p><b>UPDATE FOR CR-10</b></p> <p>Print size 300×300×400mm</p>	<p><b>UPDATE FOR</b></p> <p>Print size 500×500mm</p>
<p><b>SINGLE Z-AXIS AND SINGLE MOTOR</b></p> <p>powerful and stable</p>	<p><b>DUAL Z-AXIS AND DUAL MOTOR</b></p> <p>More powerful and stable</p>	<p><b>DUAL Z-AXIS MOTOR</b></p> <p>More powerful and stable</p>
<p><b>THE EARLIEST FDM 3D PRINTERS</b></p> <p>The Earliest Large FDM 3d Printers than Enders</p>	<p><b>FILAMENT SENSOR</b></p> <p>Ensure the model can be smoothly printed when out or disconnected.</p>	<p><b>AUTO LEVELING</b></p> <p>CR10-S5 new version touch</p>
<p><b>\$249-\$269</b></p>	<p><b>\$299-\$329</b></p>	<p><b>\$729</b></p>

## Product parameters

Build volume: 500 x 500 x 500 mm Frame dimensions: 690 x 800 x 715 mm Print head: Single nozzle Nozzle size: 0.4 mm Max. hot end temperature: 260 °C Max. heated bed temperature: 60 °C Print bed material: Borosilicate Glass Build Plate Frame: Aluminum Bed leveling: CR Touch Leveling Connectivity: SD card, USB Print recovery: Yes Filament sensor: Yes Camera: No Filament diameter: 1.75 mm Third-party filament: Yes Filament materials: **PLA Consumer materials (ABS/PETG will require a higher hotbed temperature and in a stable condition. For the CR-10S5, as for the large build**

**column, the heat dissipation rate of the hot bed will also be correspondingly faster. We will recommend the PLA for a easily printing.)** Recommended slicer: Cura, Simplify3D, Repetier-Host Operating system: Windows, Mac OSX, Linux File types: STL, OBJ, AMF DIMENSIONS AND WEIGHT

---